

EECS PARTS LIST

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE. AVAILABILITY OF PARTS IS NOT GUARANTEED, BUT PARTS ARE USUALLY AVAILABLE UNLESS EXTREME DEMAND OR UNFORSEEN CIRCUMSTANCES OCCUR. STANDARD SALES TAX (9.25%) HAS BEEN ADDED TO ALL PRODUCTS. FOR NORMAL PARTS, NO RETURNS WILL BE ACCEPTED.

TRANSISTORS

2N3904	(NPN)	\$0.05
2N3906	(PNP)	\$0.05
2N3771	(NPN)	\$0.44
2N4401	(NPN)	\$0.28
2N4403	(PNP)	\$0.28
2N5089	(NPN)	\$0.30
ALD1106	(NPN)	\$2.40
ALD1107	(PNP)	\$2.39
MPQ3904	(Quad NPN Array)	\$4.20
MPQ3906	(Quad PNP Array)	\$4.23
J271	(P JFET)	\$2.46
J309	(N JFET)	\$2.85
CA3096	(16 PIN MONO, 3 NPN, 2 PNP)	\$1.10
CA3146	(14 PIN MONO, 5 NPN)	\$1.10
MPS4126	(PNP)	\$0.06
MPF102	(FET, N-Ch., Lo-Noise Amp)	\$0.55
2N7000	(NMOS, 60V, 0.2A, 0.4W)	\$0.30
2N6650	(PNP, 100W, 20MHz, 10A, 80V, Darlington)	\$0.55
2N5875	(PNP, 150W, 4MHz, 10A, 60V)	\$1.37
<i>D40E5</i>	<i>(NPN, 8W, 230MHz, 2A, 60V)</i>	<i>\$1.37</i>
<i>MJ4237</i>	<i>(PNP, 90W 75MHz, 8A 120V)</i>	<i>\$1.92</i>
<i>MTP3055E</i>	<i>(NMOS, 60V, 12A, 40W)</i>	<i>\$1.21</i>

Updated 10/10/2019

FT417	(PNP, 25W,3MHz, 2A, 100V)	\$1.10
2N2222A	(NPN)	\$0.55

INDUCTORS

100mH		\$0.20
43LH210		\$0.00
M8818	1mH 1.3A	New Price \$1.90> \$1.69

DIODES

1N34A	(60V Germanium)	\$0.55
1N4004	(1A/400V Rectifier)	\$0.22
1N4148	(200mA/100V Small Signal Diode)	\$0.00
1N5404	(3A/400V Rectifier)	\$0.55
1N5817	(Schottky Diode)	\$0.20
1N6263	(Schottky Diode)	\$0.66
C106B1	(4A/200V SCR)	\$0.55
LTR-516AD	PHOTO DIODE	\$0.82

ZENER DIODES (SILICON, REFERENCE)

(±5% TOLERANCE, 1/2 WATT)

1N5228B (3.9V)	1N5235B (6.8V)	1N5242B (12V)	\$0.17
1N5229B (4.3V)	1N5236B (7.5V)	1N5243B (13V)	\$0.17
1N5230B (4.7V)	1N5237B (8.2V)	1N5244B (14V)	\$0.17
1N5231B (5.1V)	1N5239B (9.1V)	1N5245B (15V)	\$0.17
1N5232B (5.6V)	1N5240B (10V)	1N5250B (20V)	\$0.17
1N5234B (6.2 V)	1N5241B (11V)	1N5252B (24V)	\$0.17

(±5%, 1 WATT)

1N4739A (9V)	1N4742A (12V)	1N4744A (15V)	\$0.44
TL 431	Adjustable Precision Zener Diode		\$0.55

INTEGRATED CIRCUITS-DIGITAL (POSITIVE LOGIC)**TTL - \$0 CMOS - \$0**

<u>FUNCTION</u>	<u>74xx (TTL)</u>	<u>74Fxx(TT)</u>	<u>74LSxx (TTL)</u>	<u>40xx or 74HCxx (CMOS)</u>
Quad – 2 Input NAND	7400,7438	74F00	74LS00	74HC00N
Quad – 2 Input NOR			74LS02	4001
Quad-2 Input NAND W/open coll	7403		74LS03	74HC00N
Hex Inverter – Driver			74LS04	74HC04
Hex Inv w/Open Coll.			74LS05	
Quad - 2 Input AND			74LS08	
Triple – 3 Input NAND		74F10	74LS10 <Remove	4023 <Remove
Hex Schmitt Trigger Inv			74LS14	
Dual – 4 Input NAND	7420		74LS20	4012
Dual – 4 Input NOR	7425			4002
Triple – 3 Input NOR	7427		SN74ALS27	4025
Quad 2-Input OR			74LS32	
BCD to Segment Decoder/Driver			74LS48	4511
Dual 2 Input AND-OR-Inv	7450		74LS51	4019
3-2-2-3 Input AND/OR Inv <Remove			74LS54 <Remove	
Dual D-type Flip Flop		74F74	74LS74	4013
Quad. Bi-Stable D Latch	7475			
Dual JK Flip Flop			74LS76	4027
4-Bit Binary Full Adder			74LS83	
Quad – 2 Input XOR			74LS86	4030
Decade Counter			74LS90	
4 Bit Binary Counter	7493		74LS191,74LS93 <Remove	
Retrig. Monostable Multi.	74122			

Updated 10/10/2019

Dual, re-trig reset mono		74LS123	4528
8-input mux		74LS151	
Dual 2 to 4 Line Decoder		74LS155	
Quad 2 to 1 line Selector/ Multiplexer		74LS157,158	<Remove
Hex D Flip Flop	74F174	74LS174	
Quad D Flip Flop		74LS175	
Multiplexer		74LS251	
Quad 2-Input AND W/open coll. Outputs		74LS09	
Dual, Comp. Pair + Inv.			4007
BCD to Dec/Hexadec Decoder			4028
12 Stage Counter			4040
8 Input Multi-Func. Gate			4048
Quad. Bilateral Switch			4066
BCD to 7-Segment Decoder		DM74LS47N, HD74LS48P	
Triple 3-Input AND Gate <Remove	74F11	<Remove	
SYNCHRONOUS 4-BIT COUNTERS		SN74161N	
Dual 4-Input Positive AND Gate		SN74LS21N	
Dual 1-of-4 Decoderr/Multiplexer <Remove	74F139	<Remove	
Dual J-K Negative-Edge Triggered FF		SN74LS112AN	
High Speed 256 x 4 PROM		HM1-7611-5	
Hex Inverter <Remove			
Octal D Flip Flop C3D19	MC14069U		74LS273
8-Bit Binary Counter			74LS590
MOS-to-LED Quad Segment Driver			DS75491

MISCELLANEOUS INTEGRATED CIRCUITS-DIGITAL (POSITIVE LOGIC)
WHILE SUPPLIES LAST (TTL = \$0, CMOS = \$0)

<i>9-bit Odd/Even Parity Bit Generator/Checker</i>	74S280	74F280
<i>Parallel-Load 8bit Shift Register</i>	74LS166	
<i>4-bit Bidirectional Universal Shift Register</i>	74194	
<i>Quad 2-Input AND Gate Buffer w/30V Open Coll.</i>	74F130	
<i>Hex Buffer/Driver w/30v Open Coll.</i>	7407	
<i>8bit Shift Register w/Sign Extend, 3-State Outputs</i>	74LS322	
<i>Octal Buffer w/Non-Inverted 3-State Outputs</i>	74F241	
<i>Quad Bus Buffer w/3-State Outputs, Positive Enable</i>	74LS126	
<i>8-bit Magnitude Comparator</i>	74KS682	
<i>Octal Bus Transceiver w/Non-Inverted 3-State Outputs</i>	74HC245AN	
<i>5-bit Parallel-In/Parallel-Out Shift Register, Asynchronous Preset</i>	7496	
<i>Quad 2-Input NAND Schmitt Trigger</i>	74132	
<i>Octal Bus Transceiver</i>	74LS646	
<i>Programmable Logic IC (UV PLD)</i>	EPM5032DC	
<i>32-Macrocell EPLD</i>	CY7C344B	
<i>Single-Ended Driver-Transmitter NAND</i>	UA75150TC	
<i>Quad Tri-State Bus Transceivers</i>	DS8835	
<i>UV EPROM</i>	AM2732DC - (\$5.50)	
<i>Quad 3 State Buffer</i>	74LS125APC	
<i>Quad Bus Transceiver</i>	SN75136N	

INTEGRATED CIRCUITS-LINEAR AND OPERATIONAL AMPLIFIERS

LF353P	Op-Amp JFet 3MHz 8DIP	\$0.43	<\$0.65
LM317T	(3-Term. Adj. Pos. Voltage Regulator 1.2-37V I(max)=1.5A)	\$1.21	
LM337T	(3-Term. Adj. Neg. Voltage Regulator, I(max)=1.5A)	\$1.10	
LM329BZ	(3-Term. Adj. Pos. Voltage Regulator, I(max)=15mA)	\$1.00	

Updated 10/10/2019

LM723	(14 Pin Pos. Regulator)	\$0.82
LM331N	Voltage-to-Frequency Converter	\$1.00
LM393N	Voltage Comparator	\$0
741	Op-Amp Bipolar 1MHz GB 0.5/Usec	\$0.55
34072BP	4.5MHz 13V/us	\$.63
34081	JFET	\$1.43
AD811AN		\$5.74
AD818AN		\$5.70
CA3080E	Op-Amp	\$0.88
NE555N	Timer	\$0.29
OP-27		\$3.01
Op Amp 2337	3MHz Dual	\$0.00
TLC555CP		\$0.82
34074 <MC34074	Quad 4.5MHz 13V/us	\$0.94
MCP3002	ADC	\$1.83
ATTINY84	8-Bit Microcontroller	\$2.07
SN74H595	Shift Register	\$0.47

Transducers (\$0)

LAH 25-NP/SP1

LAH 25-NP/SP9

LAH 25-NP/SP10

Multimeter

Digital Multimeter AstroAI AM33D <Remove Highlighted Text \$13.00

SEE BULLETIN BOARD FOR LISTING OF RESISTOR VALUES EXCEPT FOR VALUES OF VARIABLE RESISTORS WHICH ARE LISTED BELOW. ALL NORMAL 1%, 1/4 WATT, CARBON-FILM VALUES ARE STOCKED FROM 10Ω TO 10 MΩ. SELECTED VALUES OF 5% 1/4 WATT, CARBON-COMPOSITION VALUES ARE AVAILABLE FROM 1 Ω TO 20 MΩ. SELECTED_VALUES OF 5%, 1/2 WATT, CARBON VALUES ARE STOCKED FROM 1 Ω TO 15 M.Ω

RESISTANCE VALUES

1Ω – 20MΩ, 1/4w	\$0.06	
1Ω – 15MΩ, 1/2W	\$0.11	
1Ω – 10MΩ, 1W	\$0.28	
0.47Ω – 1Ω, 2W (metal oxide film ±5%)	\$0.33	
1Ω – 10MΩ, 2W	\$0.33	
10Ω – 10MΩ (metal film ±1%)	\$0.22	
SEN-09088	Mini PhotoCell Resistor	\$1.56

Potentiometers

1-Turn, 1/4 Watt	100, 200, 250, 500, 1K, 2K, 5K, 10K, 20K, 100K, 500K	\$0.55
15-Turn, 3/4 Watt (Trim Pot)	10 ,100, 500, 1K, 5K, 10K, 50K, 100K, 500K	\$1.64
Anodized Aluminum Knob		\$0.55
Dual 125k Ohm (110/15)		\$2.19

Varistor VDR

39Z1 Varistor	\$0.22
ZNR14K201U Varistor	\$0.22
ZNR7K201U Varistor	\$0.22

CAPACITORS - CERAMIC DISK, 50-500VDC, ±20% TOLERANCE (pF)

1	10	47	270	1000	3900		\$0.22
2.2	12	68	300	1500	4700	(\$0.08) <Remove Pricing	
3.3	15	75	360	1800	5600		
4.7	18	82	470	2000	6800	<Remove	
5.6	25	100	560	2200	8200	<Remove	
6.8	27	120	680	2500	10000	(\$0.10) <Remove Pricing	
7.5	33	150	750	2700			
8.2	39	220	820	3000			

CAPACITORS – PLASTIC & Ceramic (±1 – 10% TOL), 16-100V (µF)

Ceramic	0.01	0.1					\$0.28
Ceramic	0.033	0.068	0.082	0.047	0.33		\$0.55
Ceramic	1	1.5	2.2	3.3	4.7	6.8	\$0.22
Ceramic	10	15					\$0.22
Plastic	0.02	0.022	0.22				\$0.55

ELECTROLYTIC - ALUMINUM , 50-100V

0.47 µF	100 V	\$0.55
4.7 µF	35 V	\$0.12
4.7 µF	50 V	\$0.28
10 nF AXIAL	50 V	\$0.00 <\$1.50
10 µF	35 V	\$0.28
10 µF	50 V	\$0.11
22 µF	35 V	\$0.13
22 µF	50 V	\$0.28
47 µF	35 V	\$0.21
47 µF	50 V	\$0.10
100 µF	50 V	\$0.16

Updated 10/10/2019

100 μ F	<Remove	35 V	<Remove	\$0.33	<Remove
220 μ F		35V		\$0.21	
470 μ F		50 V		\$0.55	
470 μ F		35 V		\$0.20	
1000 μ F		35 V		\$0.82	<\$0.85
2200 μ F		35 V		\$1.21	

CAPACITORS – Tantalum ($\pm 1 - 10\%$ TOL), 16-35V (μ F) \$0.34

0.1	0.22	0.33	0.47	1	2.2	3.3	4.7
10	22	47					

VARIABLE CAPACITORS

5 TO 100 pF (50V)	\$0.55
75 TO 330 pF	\$2.46

SOCKETS

IC 8S	8 Pin DIP Solder Tab	\$0.28
IC 8W	8 Pin DIP Wire Wrap	\$1.64
IC 16S	16 Pin DIP Solder Tab	\$0.28
IC 16W	16 Pin DIP Wire Wrap	\$1.64
IC 18S	18 Pin DIP Solder Tab	\$0.33
IC 20W	20 Pin DIP Wire Wrap	\$2.19
IC 20S	20 Pin DIP Solder Tab	\$0.00
IC 24S	24 Pin DIP Solder Tab	\$0.00
IC 28S	28 Pin DIP Solder Tab	\$0.00
IC 40S	40 Pin DIP Solder Tab	\$0.00

HEAT SHRINKS

Heat Shrink Set (Small Size)

\$11.00

Updated 10/10/2019

Heat Shrink Set (Large Size) \$11.00

HEAT SINKS AND FITTINGS

Dip H-Sink	\$0.00
RL2004 NTC Thermal	\$0.00
TO-220 Nuts	\$0.00
<i>TO-31.5 c / w Heatsink</i>	<i>\$0.00</i>
<i>TO-35 c / w Heatsink</i>	<i>\$0.00</i>
<i>TO-92 Heat Sink</i>	<i>\$0.00</i>
<i>TO-92 Socket</i>	<i>\$0.82</i>
<i>To-3 Insulator Lug Socket</i>	<i>\$0.00</i>
<i>To-3 MICA Insulator</i>	<i>\$0.00</i>
<i>To-3 Steel Washer</i>	<i>\$0.00</i>
<i>To-3 Washer Plastic</i>	<i>\$0.00</i>

WIRE & CABLE

<i>10pc Alligator clips wires Set</i>	<i>\$4.38</i> <\$5.00
<i>22AWG wire Solid</i>	<i>\$0.06</i>
<i>Jumper wires box</i>	<i>\$2.00</i>
<i>Lamp cord</i> <Remove	<i>\$2.19</i> <Remove
<i>Magnet Wire 26AWG.05/ft</i>	<i>\$0.17</i>
<i>Zip Tie 3"</i>	<i>\$0.06</i>
<i>Zip Tie 7.5"</i>	<i>\$0.06</i>
<i>Jumper Wire 6" M/F</i> M/M F/F <Add this text	<i>\$2.19</i> <\$2.22

POWER CABLES ARE AVAILABLE

TEST LEADS & SCOPE PROBES

Multi-meter Leads		\$3.10 <\$8.00
<i>BNC to Alligator Clips</i>		\$2.40 <\$3.00
BNC Male to Female	<i>RG-58C/U</i>	\$0.00
<i>BNC to IC Test Hook Set</i>		\$3.55 <\$10.00
<i>Banana Binding Posts</i>		\$0.00
<i>Banana Jack Plug - Snap</i>		\$1.26
<i>Female Banana Jack Plugs</i>		\$0.56
<i>Rubber Alligator Clip Sleeves</i>		\$0.00

CONNECTORS

<i>BNC Clamp-Solder Plug for RG-58, 141, 142A</i>	\$0.00
<i>RF Coaxial Connectors</i>	\$0.00
<i>COAXICON RF DIV</i>	\$0.00

SWITCHES and RELAYS

2 Switch Mini-Dip	\$0.82
3 Switch Mini-Dip	\$0.82
4 Switch Mini-Dip	\$0.82
5 Switch Mini-Dip	\$0.93
6 Switch Mini-Dip	\$0.99
7 Switch Mini-Dip	\$2.19
8 Switch Mini-Dip	\$2.19
10 Switch Mini-Dip	\$2.19
DPDT .5A 125V Slide Switch	\$0.66
SPST 3A 125V slide switch	\$0.55 <\$0.58

Updated 10/10/2019

SPDT Through hole switch Slide Switch	\$59
Magnacraft W171DIP-2 Relay	\$4.90

LED'S

7segment display	\$0.00
Amber LED 2.2V 15mA	\$0.21
Green LED 2.2V 15mA	\$0.16
Red LED 2.2V 15mA	\$0.24
LED Holder - Panel Mount	\$0.11
LED PCB Socket	\$0.82
3-Pin LED	\$0.55

MISCELLANEOUS

Plastic Project Box (7.5"x4.3"x2.2")	\$3.56	
Storage Box	\$4.50	
Solder (1 ft) #22	\$0.17	
Solder Wick	\$2.66	
Speaker (8 ohm, 0.5w)	\$0.00	
LCD Module	RCM7033M-A	\$0.00
Male Header Pins	Conn Header .100" Sngl Str 40pos	\$0.55
Female Socket Pins	Conn Socket 40 Pos 0.100" Gold Through Hole	\$1.47
Right Angled Male Header Pins	conn header 16pos .100 r/a 30au	\$0.72
Crystal SE3333-ND		\$0.17
.1" Male Crimp Pins		\$0.00
Panel-Mount Neon Indicator - Red		\$0.00
Neon Glow Lamps		\$0.00

TRANSFORMERS

LP-433	Universal, Center Taps, 110/220V, 9-0-9V, 1A	\$3.39
DPC-34-125	115 V TO 17 VRMS, 0.11A RMS	\$3.80 <\$8.00

42TU013-RC

Signal XFMR EI-24 1KCT-PCT

\$2.84 <\$3.70

MAGNETIC TORROID CORES

T 50-2	OD = .500 in, ID = .303 in, Ht = .190 in, 250 KHz - 10 MHz	\$0.93
T 50-6	OD = .500 in, ID = .303 in, Ht = .190 in, 3 MHz - 40 MHz	\$0.93
T 68-2	OD = .690 in, ID = .370 in, Ht = .190 in, 250 KHz - 10 MHz	\$1.21
T 80-2	OD = .795 in, ID = .495 in, Ht = .250 in, 250 KHz - 10 MHz	\$1.64
A-189043-2	Toroid Core	\$1.21

BATTERIES

AAA Alkaline Battery		\$0.58
AA Alkaline Battery		\$0.39 <\$0.70
9 V Alkaline Battery		\$1.17 <\$1.52
D or C Cell Alkaline Battery		\$1.21
9V Battery Clip		\$0.28
4AA Battery Holder		\$1.58
4AAA Battery Holder		\$1.36

FUSES

Misc. Sizes	Ask For Sizes	\$0.28
Fuse Holder		\$1.37
Fuse Holder, in-line		\$1.37

CIRCUIT BOARDS

Circuit Vector Board	per 8.5" x 17"	\$9.75
Single-Side Copper		\$4.81
Double-Side Copper		\$9.33
4"x4" Perf Board	PC Board Fr4 1-Side Pph 4.0x4.0	\$6.50
3.5"x3.0" Bus Board	PC Board .1"Sp 3x3.5 Single Side	\$4.92
Single Breadboard (without wire kit)		\$4.64 <\$7.00

Updated 10/10/2019

Single Breadboard (with wire kit)	\$5.60 <\$13.00
Double Breadboard (with wire kit)	\$12.55 <\$20.00
Raspberry Pi, UNO, & Breadboard Holder	\$9.00 <\$10.50

LAB KITS

COSC 130 Lab Kit <Remove	\$28.41 <Remove
ECE 201/202 Lab Kit (No Breadboard)	\$31.20 \$30.00
ECE 201/202 Lab Kit (With Single Breadboard & Jumper Wires) <Remove	\$36.8 <Remove
ECE 201/202 Lab Kit (With Single Breadboard) <Remove	\$35.84 <Remove
ECE 201/202 Lab Kit (With Double Breadboard & Jumper Wires) <Remove	\$43.75 <Remove
ECE 482 Lab Kit	\$150 <\$50.00
ECE301 Lab Kit	\$35.00 <\$20.00
ECE256 Lab Kit	\$13.00
ECE 494 Lab Kit <Add Text	\$60.00 <Add Text

ECE 201/202 Lab Kit Parts List

Please remove the following information regarding ALL lab kits parts lists. Lab kits have been altered slightly each semester due to professor's needs.

Breadboard (Single, Double, None)	1N4004 Diode			
Scope Leads (x3)	1N5228B Diode			
Alligator Jumpers (x10)	0.22 μ F Capacitor			
Multi-Meter Leads (1 set)	1 μ F Capacitor			
SPST Switch		Resistors (All 0.5W)		
Magnacraft W171 DIP-2 Relay	20 Ω	300 Ω	330 Ω	470 Ω
PC-34-125 Transformer	560 Ω	680 Ω	820 Ω	1 k Ω (x2)
741 Op Amp	1.5 k Ω	2 k Ω (x2)	2.2 k Ω	3 k Ω (x2)
100mH Inductor	3.3 k Ω	4.7 k Ω	5.1 k Ω	6.8 k Ω
15-turn 1k Potentiometer	10 k Ω (x2)	12 k Ω	15 k Ω	62 k Ω
15-turn 10k Potentiometer	100 k Ω			

ECE 482 Lab Kit Parts List

Vectorboard, 6.5x4.5	Cap 100nF, 50V	Fan, 12V
Header 40pos	Cap 1uF, 50V	LAUNCHPAD DEV BRD
Nylon Standoff	Cap 4.7uF, 50V	CONN HEADER 10POS 2.54MM SMT
Nylon Screw	Cap Film 8.2uF, 250V	IC REG LDO 3.3V 1A SOT223-6
Dual Binding Posts	Cap Ceram 1uF, 100V, X7R	18-Pin DIP SOCKET
TVS Diode	Cap Film 15uF, 100V	TEST LEAD GATOR TO GATOR 12" 5PC
MOV	Boost Controller (TI LM5121)	JUMPER F/F 11.811" 26AWG 10PCS
100K Pot	IC OPAMP GP 1.5MHZ RRO 8DIP	RESISTR KIT 1.1-910K 1/4W 360PCS
10K Pot	DIP8 Socket	TRIMMER 500 OHM 0.5W PC PIN TOP
5mOhm Resistor, Current sense	Gate Driver	MOSFET N-CH 60V 120A TO220AB
Diode Schottky, 40V 1A	Diode 200V 1A	DIODE SCHOTTKY 60V 10A TO220-2
Diode Schottky, 100V 3A	Heatsink (Dual w/clip)	CAP CER 100PF 50V C0G/NP0 RADIAL
	THERM PAD 19.05MMX12.7MM W/ADH	

ECE 256 Lab Kit Parts List

USB to Serial Converter 1568-1045-ND	LED			
8 OHM 0.5W Speaker				
LCD RCM7033M				
Photo Sensor QSD124-ND				
IR Emitter 475-3002-ND				
Capacitor 1uF	100 Ω	330 Ω	10k Ω (x2)	15k Ω (x2)
10k Ohm 0.75W 15T Trimpot	100k Ω (x2)	1M Ω (x2)		
Thru-hole 5-way Navigation switch				